NUTRICHÈ

NURTURING LIFE

Head Office:
House No. 21, 2nd Floor, Khuzama Building, 2909 Abu Sufyan Bin Harb, Al Nzha Distt, Riyadh-KSA.
+966 50 514 1862

Corporate Headquarters:
13 Newstead Place, Halifax HX1 4TQ West Yorkshire UK.
+44 7471 972251

المكتب الرئيسى:
المنزل رقم ٢١، الطابق الثانى، مبنى خزامه، ٢٩٠٩ ابو سفيان بن حرب، النزهة ديست، الرياض-السعودية.
+٩٦٦ ٥٧ ٢٢٢ ٦٢٤٩

مقر الشركه:
١٣ نيوستيد بليس، هاليفاكس HX١ ٤TQ غرب يوركشاير، المملكة المتحدة.+٤٤ ٧٤٧١ ٩٧٢٢٥١

فيتامونيتى

VITAMUNITY®

Vitamin A, D, E, C & K Supplement



Description

Vitamunity is a precision-engineered, high-potency multivitamin formulation designed to meet the elevated metabolic, reproductive, and immune demands of modern poultry production. It combines essential fat- and water-soluble vitamins in optimal concentrations to support intestinal integrity, bone development, disease resistance, and reproductive efficiency in broilers, layers, and breeders.
With a robust inclusion of Vitamin A (50,000,000 IU) and Vitamin D3 (10,000,000 IU) per liter, Vitamunity rapidly addresses clinical and subclinical deficiencies and reinforces physiological functions during disease, stress, and recovery periods. The synergistic antioxidant effects of Vitamin E and C safeguard cellular membranes and enhance immunity, while Vitamin K3 provides essential support in maintaining vascular integrity and clotting during hemorrhagic conditions like coccidiosis.

Composition

Vitamin A -----50,000,000 IU
Vitamin D3 ---- 10,000,000 IU
Vitamin E ---- 25,000 mg
Vitamin C ---- 20,000 mg
Vitamin K3 ---- 20,000 mg

Available SKU's

1 Liter Bottle (12 bottles per carton)
5 Liter Can (4 cans per carton)

Indications

Supports recovery during and after coccidial infections by aiding in the repair of intestinal mucosa and reducing hemorrhagic lesions, thanks to high-dose Vitamin K3 and A.
Helps counteract immunosuppression associated with viral and bacterial diseases (e.g., ND, IBD, IB) by strengthening cellular and humoral immune responses, primarily through synergistic action of Vitamin A, D3, E, and C.
Essential for correcting and preventing hypovitaminosis in intensively reared poultry, ensuring optimal metabolic, reproductive, and skeletal functions.
Promotes egg production, shell quality, and reproductive efficiency in layers and breeders by enhancing calcium metabolism and ovarian function.
Improves feed conversion ratio (FCR) and supports faster growth by optimizing nutrient absorption, tissue development, and antioxidant protection.
Reduces the negative effects of environmental, nutritional, and vaccination-related stress, improving flock resilience and livability.
Enhances vascular stability and clotting mechanisms, minimizing internal bleeding risks during enteric infections or nutritional deficiencies.
Supports post-antibiotic and anticoccidial recovery, accelerating gut epithelial regeneration and restoring intestinal integrity.

DOSAGE & ADMINISTRATIONS

Preventive : 1 ml/15 lit of drinking water, once a week
Curative : 1 ml/10 lit of drinking water, for 5-7 days

Shake well before use.
Medicated drinking water should be used within 24 hours.

Storage Conditions

Store in a cool, dry place below 30°C
Protect from direct sunlight and moisture
Keep tightly closed in original container
Keep out of reach of children and unauthorized personnel